


* 不等辺アングル
* 等辺アングル


Rなし



長さ > 4,000

寸	法	単位質量 (kg/mt)	在庫品 A6063T5
A	t		
15	1.5	0.116	○
19	1.5	0.149	○
20	1.5	0.156	
30	1.5	0.238	
38	1.5	0.304	
45	1.5	0.360	
50	1.5	0.400	
20	2.0	0.207	○
25	2.0	0.261	○
30	2.0	0.316	○
40	2.0	0.422	
50	2.0	0.533	
55	2.0	0.585	
60	2.0	0.639	
70	2.2	0.821	
80	2.3	0.983	
25	2.5	0.323	○
15	3.0	0.220	
20	3.0	0.302	○
25	3.0	0.384	○
30	3.0	0.465	○
35	3.0	0.547	○
40	3.0	0.628	○
50	3.0	0.792	○
25	4.0	0.500	○
30	4.0	0.607	○
35	4.0	0.713	○
40	4.0	0.827	○
50	4.0	1.044	○
30	5.0	0.748	○
40	5.0	1.020	○
50	5.0	1.292	○
40	6.0	1.198	○
50	6.0	1.534	○
60	6.0	1.846	
65	6.0	2.024	
80	8.0	3.308	○
100	10.0	5.168	○

Rなし



長さ > 4,000

寸	法	単位質量 (kg/mt)	在庫品 A6063T5
A	B	t	
15	18	1.2	0.104
9	20	1.5	0.111
9	25	1.5	0.131
9	30	1.5	0.151
9	40	1.5	0.193
10	15	1.5	0.095
10	20	1.5	0.115
10	30	1.5	0.156
15	20	1.5	0.136
15	25	1.5	0.156
15	30	1.5	0.177
15	40	1.5	0.217
15	45	1.5	0.237
15	18	1.8	0.153
15	20	1.8	0.163
15	20	2.0	0.178
15	25	2.0	0.206
15	30	2.0	0.234
20	30	2.0	0.261
20	40	2.0	0.316
20	50	2.0	0.370
25	50	2.0	0.397
13	35	2.5	0.308
15	25	3.0	0.299
15	30	3.0	0.340
20	30	3.0	0.384
20	40	3.0	0.465
25	50	3.0	0.583
35	50	3.0	0.664
25	38	4.0	0.637
35	50	4.0	0.880
40	60	5.0	1.290
50	75	5.0	1.648